



PDF-Datasheet

Dimensioni Dimensions Abmessungen

Section:



E

Designation

R_MI_110_FL_1/40_90B5_M1_OUTOIL_TypSTM_N_-----

E.0

Designation gearbox:



M (Máquina)	R
TYPCON (Tipo conexión)	MI
SIZE (Tamaño)	110
OV (Versión Salida)	FL
MV (Versión Montaje)	-
OF (Brida Salida)	-
IR (Relación de reducción)	1/40
IECT (Tipo IEC y Eje Entrada)	-
IV (Versión Entrada)	IEC
IS (Eje Entrada)	90B5
BE (Doble Extensión Entrada)	-
TOBE (Cojinetes Cónicos Salida)	-
LOV (Versión Limitador)	-
LOM (Lado salida limitador movimiento)	-
LHC (Calibrado de mayor tamaño limitador)	-
LSOS (Estado suministro limitador)	-
TYPSPD (Tipo Eje salida)	SI
SD (Diámetro Eje)	Ø42
MPOF (Lado Brida Salida)	-
MP (Posiciones de montaje)	M1
ACC1 (ACC1 - Accesorios -Extremo salida)	Ninguna Opción
ACC1POSDXSX (ACC1 - Posición Der. - Izq.)	-
ACC3 (ACC3 - Accesorios - Versiones pendulares)	Ninguna Opción
ACC3POSDXSX (ACC3 - Posición Der. - Izq.)	-
ACC3POSB (ACC3 - Posición BR.)	-
ACC9 (ACC9 - Accesorios - Generales)	Ninguna Opción
OPT (OPT - Opciones - Material de las juntas de estanqueidad)	Estanqueidades ESTÁNDAR
OPT1 (OPT1 - Opciones - Estado suministro aceite)	OUTOIL = Reductor Sin Lubricante
OPT2 (OPT2 - Opciones - Pintura)	TypSTM = Pintura Estándar STM
MGBCK (Motorreductores - YES/NO)	N = NO - Motorreductores
MAR (Marcado)	-
MGB (Motorreductores)	-
IN (Opción inversor)	-
BF (Opción bobinado equilibrado (bifásico))	-
POL (Número Polos)	-
TOW (Tipo de bobinados)	-
SIZEM (Motor tamaño)	-
LEN (Longitud)	-
DV (Forma)	-
PMT (Posición del Bloque de Conexión)	-
AVC (Forma de construcción)	-
SDM (Motor diámetro Eje)	-
F (Brida)	-
HB14 (n.º orificios brida B14)	-
IP (Grado de protección)	-
PLATE (Placa)	-
POW (Potencia)	-
CEP1 (Posición prensacables 1 motor)	-
CEP2 (Posición prensacables 2 motor)	-
TOD (Tipo de servicio)	-
TOB (Tipo de freno)	-



All contents, drawings and information in this document are sole property of STM S.p.A.
It cannot be disclosed for purposes other than under the agreement between the Customer and an authorized STM representative.
It cannot be reproduced (in whole or in part) without explicit written permission by STM S.p.A. legal representative,
and in this case the intellectual property of the document remains solely of STM S.p.A.
This PDF-Datasheet cancels and replace any previous edition and revision.
We reserve the right to implement modifications without notice.

Date: 18.02.2020

Page: E 1

Legal warnings: LW-2D3D-Stmstar.pdf
Email: info@stm.com
WebSite: <http://www.stmspa.com>



PDF-Datasheet

Dimensioni Dimensions Abmessungen


Section:

E


Designation R_MI_110_FL_1/40_90B5_M1_OUTOIL_TypSTM_N_-----

E.0

Designation gearbox:



RLP (Posición leva de desbloqueo)	-
IPF (Grado de Protección del freno)	-
DES (Eje de doble extensión)	-
PC (Ventilación)	-
SAVE (Alimentación separada servoventilación)	-
VSAVE (Alimentación externa ventilador)	-
PSAVE (Posición bloque de conexión separado ventilador)	-
CEPV (Posición prensacables servoventilación)	-
RS (Techo protección lluvia)	-
CEPT (Posición prensacables térmica)	-
PA (Pintura)	-



All contents, drawings and information in this document are sole property of STM S.p.A.
It cannot be disclosed for purposes other than under the agreement between the Customer and an authorized STM representative.
It cannot be reproduced (in whole or in part) without explicit written permission by STM S.p.A. legal representative,
and in this case the intellectual property of the document remains solely of STM S.p.A.
This PDF-Datasheet cancels and replace any previous edition and revision.
We reserve the right to implement modifications without notice.

Date: 18.02.2020
Page: E 2

Legal warnings: LW-2D3D-Stmstar.pdf
Email: info@stm.com
WebSite: <http://www.stmspa.com>

General Dimension 2D:





PDF-Datasheet

Dimensioni Dimensions Abmessungen

Section:

E


Designation

R_MI_110_FL_1/40_90B5_M1_OUTOIL_TypSTM_N_-----

E.2 - E.3

INPUT - TECHNICAL DETAILS:

E.2	TYPCON	Connection Type	MI	TYPCONM	Main Connection Type	
E.2	IV	Versión Entrada	IEC	IVM	Main Input Version	
E.2	IS	Input Shaft	90B5	ISM	Main Inspection Cover	
E.2	IECT	IEC Type and Input Shaft	-	IECTM	Main IEC type and Input Shaft	



E.3	BSTOP	Antirretorno	
E.3	RSBSTOP	Rotation Sense Backstop	
E.3	MDBSTOP	Antirretorno posición	



All contents, drawings and information in this document are sole property of STM S.p.A.
It cannot be disclosed for purposes other than under the agreement between the Customer and an authorized STM representative.
It cannot be reproduced (in whole or in part) without explicit written permission by STM S.p.A. legal representative,
and in this case the intellectual property of the document remains solely of STM S.p.A.
This PDF-Datasheet cancels and replace any previous edition and revision.
We reserve the right to implement modifications without notice.

Date: 18.02.2020
Page: E 4

Legal warnings: LW-2D3D-Stmstar.pdf
Email: info@stm.com
WebSite: <http://www.stmspa.com>


Designation

R_MI_110_FL_1/40_90B5_M1_OUTOIL_TypSTM_N_-----

E.4 - E.5

OUTPUT - TECHNICAL DETAILS:

E.4	OS	Output Shaft		SD	Diámetro Eje	Ø42
-----	----	--------------	--	----	--------------	-----



E.5	OF	Brida Salida	-	MPOF	Mounting Position Output Flange	-
-----	----	--------------	---	------	---------------------------------	---



PDF-Datasheet

Dimensioni Dimensions Abmessungen

Section:

E

Designation

R_MI_110_FL_1/40_90B5_M1_OUTOIL_TypSTM_N_-----

E.5 - E.6 - E.7

ACCESSORIES - TECHNICAL DETAILS - ACC1-ACC2-ACC3

E.5	ACC1	Accessories Output Configuration	

E.6	ACC2	Accessories Splined D	

E.7	ACC3		



All contents, drawings and information in this document are sole property of STM S.p.A.
It cannot be disclosed for purposes other than under the agreement between the Customer and an authorized STM representative.
It cannot be reproduced (in whole or in part) without explicit written permission by STM S.p.A. legal representative,
and in this case the intellectual property of the document remains solely of STM S.p.A.
This PDF-Datasheet cancels and replace any previous edition and revision.
We reserve the right to implement modifications without notice.

Date: 18.02.2020
Page: E 6

Legal warnings: LW-2D3D-Stmstar.pdf
Email: info@stm.com
WebSite: <http://www.stmspa.com>